

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 09.05.2011


Version number 4

Revision: 09.05.2011

1 Identification of the substance/mixture and of the company/undertaking

- **Product identifier**
- **Trade name:** *Enduit 1000 grijs*
- **Article number:** *Dipro 0418*
- **Relevant identified uses of the substance or mixture and uses advised against**
- **Application of the substance / the preparation** *Masking material*
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Temati B.V.
Rijnland 2
NL-1948 RL Beverwijk
Tel: +31 251 229 172
Fax: +31 251 212 380
E-mail: temati@temati.com
- **Further information obtainable from:** *Product safety Department*
- **Emergency telephone number:** *Tel: +31 251 229 172 (mo-fr/9-17)*

2 Hazards identification

- **Classification of the substance or mixture**
- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**
 *N; Dangerous for the environment*
R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R64: May cause harm to breastfed babies.
- **Information concerning particular hazards for human and environment:**
The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.
- **Classification system:**
The classification is according to the latest editions of the EU-lists, and extended by company and literature data.
- **Label elements**
- **Labelling according to EU guidelines:**
Observe the general safety regulations when handling chemicals.
The product has been marked in accordance with EU Directives / respective national laws.
The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.
The R and S phrases may be omitted if packaging contains no more than 0.125 litre.
- **Code letter and hazard designation of product:**
N Dangerous for the environment
- **Risk phrases:**
51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
64 May cause harm to breastfed babies.
- **Safety phrases:**
57 Use appropriate container to avoid environmental contamination.
60 This material and its container must be disposed of as hazardous waste.
- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** *Not applicable.*
- **vPvB:** *Not applicable.*

GB

(Contd. on page 2)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 09.05.2011

Version number 4

Revision: 09.05.2011


Trade name: **Enduit 1000 grijs**

(Contd. of page 1)

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

- **Dangerous components:**

CAS: 85535-85-9	Alkanes, C14-C17, chloro	 N R50/53	5-<10%
EINECS: 287-477-0		R64-66	

- **Additional information:** For the wording of the listed risk phrases refer to section 16.

4 First aid measures

- **Description of first aid measures**
- **After skin contact:** If skin irritation continues, consult a doctor.
- **After eye contact:**
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Firefighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:**
Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Handling:**
- **Precautions for safe handling** No special precautions are necessary if used correctly.
- **Information about fire - and explosion protection:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.

(Contd. on page 3)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 09.05.2011

Version number 4

Revision: 09.05.2011

Trade name: *Enduit 1000 grijs*

(Contd. of page 2)

· *Specific end use(s)* No further relevant information available.

8 Exposure controls/personal protection

· *Additional information about design of technical facilities:* No further data; see item 7.· *Control parameters*· *Ingredients with limit values that require monitoring at the workplace:*

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· *Additional information:* The lists valid during the making were used as basis.· *Exposure controls*· *Personal protective equipment:*· *General protective and hygienic measures:* Wash hands before breaks and at the end of work.· *Respiratory protection:* Not required.· *Protection of hands:* Not required.· *Material of gloves*

PVC or PE gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· *Penetration time of glove material*

> 480 min.

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· *Eye protection:* Goggles recommended during refilling· *Body protection:* Use protective suit.

9 Physical and chemical properties

· *Information on basic physical and chemical properties*· *General Information*· *Appearance:*

<i>Form:</i>	<i>Fluid</i>
--------------	--------------

<i>Colour:</i>	<i>Grey</i>
----------------	-------------

· *Odour:* *Characteristic*· *Odour threshold:* *Not determined.*· *pH-value:* *Not determined.*· *Change in condition*

<i>Melting point/Melting range:</i>	<i>Undetermined.</i>
-------------------------------------	----------------------

<i>Boiling point/Boiling range:</i>	<i>100°C</i>
-------------------------------------	--------------

· *Flash point:* *Not applicable.*· *Flammability (solid, gaseous):* *Not applicable.*· *Ignition temperature:*

<i>Decomposition temperature:</i>	<i>Not determined.</i>
-----------------------------------	------------------------

· *Self-igniting:* *Product is not selfigniting.*· *Danger of explosion:* *Product does not present an explosion hazard.*· *Explosion limits:*

<i>Lower:</i>	<i>Not determined.</i>
---------------	------------------------

<i>Upper:</i>	<i>Not determined.</i>
---------------	------------------------

(Contd. on page 4)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 09.05.2011

Version number 4

Revision: 09.05.2011

Trade name: Enduit 1000 grijs

(Contd. of page 3)

· Vapour pressure At 20°C:	23 hPa
· Vapour pressure At 50°C:	123 hPa
· Density At 20°C:	1.22 g/cm ³ (DIN 51757)
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with water:	Not miscible or difficult to mix.
· Segregation coefficient (n-octanol/water):	Not determined.
· Viscosity:	
Dynamic At 20°C:	115000 mPas
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	0.0 %
Water:	44.8 %
Solids content:	54.9 % (DIN 53216)
· Other information	No further relevant information available.
· VOC (EU):	0.04 %
· VOC (EU):	0.5 g/l
· VOCV:	0.03 %

10 Stability and reactivity

- **Reactivity**
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.

12 Ecological information

- **Toxicity**
- **Acquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** Toxic for fish

(Contd. on page 5)

GB

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 09.05.2011

Version number 4

Revision: 09.05.2011

Trade name: Enduit 1000 grijs

(Contd. of page 4)

- **Additional ecological information:**
- **General notes:**
 - Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water
 - Do not allow product to reach ground water, water course or sewage system.
 - Danger to drinking water if even small quantities leak into the ground.
 - Also poisonous for fish and plankton in water bodies.
 - Toxic for aquatic organisms
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**
 - Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

· Land transport ADR/RID (cross-border)



- **ADR/RID class:** 9 Miscellaneous dangerous substances and articles.
- **Danger code (Kemler):** 90
- **UN-Number:** 3082
- **Packaging group:** III
- **Hazard label** 9
- **Special marking:** Symbol (fish and tree)
- **UN proper shipping name:** 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Alkanes, C14-C17, chloro)
- **Limited quantities (LQ)** 5L
- **Transport category** 3
- **Tunnel restriction code** E

· Maritime transport IMDG:



- **IMDG Class:** 9
- **UN Number:** 3082
- **Label** 9
- **Packaging group:** III
- **EMS Number:** F-A,S-F
- **Marine pollutant:** Yes
- Symbol (fish and tree)

(Contd. on page 6)

GB

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 09.05.2011

Version number 4

Revision: 09.05.2011

Trade name: Enduit 1000 grijs

(Contd. of page 5)

· **Proper shipping name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Alkanes, C14-C17, chloro)

· **Air transport ICAO-TI and IATA-DGR:**



· **ICAO/IATA Class:** 9
 · **UN/ID Number:** 3082
 · **Label:** 9
 · **Special marking:** Symbol (fish and tree)
 · **Packaging group:** III
 · **Proper shipping name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Alkanes, C14-C17, chloro)

· **Environmental hazards:** Product contains environmentally hazardous substances: Alkanes, C14-C17, chloro
 · **Special precautions for user** Warning: Miscellaneous dangerous substances and articles.

· **Transport/Additional information:**

For ADR and IMDG: Transport and packing are in accordance with the regulation for limited quantities. These products are therefore classified as no dangerous goods.

· **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Labelling according to EU guidelines:**

Observe the general safety regulations when handling chemicals.

The product has been marked in accordance with EU Directives / respective national laws.

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

The R and S phrases may be omitted if packaging contains no more than 0.125 litre.

· **Code letter and hazard designation of product:**

N Dangerous for the environment

· **Risk phrases:**

51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

64 May cause harm to breastfed babies.

· **Safety phrases:**

57 Use appropriate container to avoid environmental contamination.

60 This material and its container must be disposed of as hazardous waste.

· **National regulations:**

· **Technical instructions (air):**

Class	Share in %
Water	44.8
NK	0.3

· **Waterhazard class:** Water hazard class 2 (Self-assessment): hazardous for water.

· **Other regulations, limitations and prohibitive regulations**

· **Please note:** 5-6

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

GB

(Contd. on page 7)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 09.05.2011

Version number 4

Revision: 09.05.2011

Trade name: Enduit 1000 grijs

(Contd. of page 6)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

R50/53 *Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.*

R64 *May cause harm to breastfed babies.*

R66 *Repeated exposure may cause skin dryness or cracking.*

· Department issuing MSDS: *Product safety department.*

· Contact: *temati@temati.com*

· * Data compared to the previous version altered.

GB