

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 09.05.2011



Version number 4

Revision: 09.05.2011

## 1 Identification of the substance/mixture and of the company/undertaking

- **Product identifier**
- **Trade name:** Foster 60-78
- **Article number:** Dipro 0525
- **Relevant identified uses of the substance or mixture and uses advised against**
- **Application of the substance / the preparation** Masking material
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Temati B.V.  
Rijnland 2  
NL-1948 RL Beverwijk  
Tel: +31 251 229 172  
Fax: +31 251 212 380  
E-mail: temati@temati.com
- **Further information obtainable from:** Product safety Department
- **Emergency telephone number:** Tel: +31 251 229 172 (mo-fr/9-17)

## 2 Hazards identification

- **Classification of the substance or mixture**
- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**
  -  Xi; Irritant  
R37: Irritating to respiratory system.
  -  N; Dangerous for the environment  
R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
  - R10-64-66-67: Flammable. May cause harm to breastfed babies. Repeated exposure may cause skin dryness or cracking. Vapours may cause drowsiness and dizziness.
- **Information concerning particular hazards for human and environment:**  
The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.  
At long or repeated contact with skin it may cause dermatitis due to the degreasing effect of the solvent.  
Has a narcotizing effect.
- **Classification system:**  
The classification is according to the latest editions of the EU-lists, and extended by company and literature data.
- **Label elements**
- **Labelling according to EU guidelines:**  
The product has been marked in accordance with EU Directives / respective national laws.  
The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.  
The R and S phrases may be omitted if packaging contains no more than 0.125 litre.
- **Code letter and hazard designation of product:**  
Xi Irritant  
N Dangerous for the environment
- **Risk phrases:**
  - 10 Flammable.
  - 37 Irritating to respiratory system.
  - 51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
  - 64 May cause harm to breastfed babies.
  - 66 Repeated exposure may cause skin dryness or cracking.
  - 67 Vapours may cause drowsiness and dizziness.

(Contd. on page 2)

-GB-

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 09.05.2011

Version number 4

Revision: 09.05.2011

**Trade name: Foster 60-78**










(Contd. of page 1)

- **Safety phrases:**
  - 23 Do not breathe fumes/aerosol.
  - 24 Avoid contact with skin.
  - 43 In case of fire, use sand, carbon dioxide or powdered extinguishing agent. Never use water.
  - 51 Use only in well-ventilated areas.
  - 57 Use appropriate container to avoid environmental contamination.
  - 60 This material and its container must be disposed of as hazardous waste.
- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

- **Dangerous components:**

CAS: 64742-95-6 EINECS: 265-199-0	Solvent naphtha (petroleum), light arom.    R10-66-67	25-<50%
CAS: 64742-82-1 EINECS: 265-185-4	Naphtha (petroleum), hydrodesulfurized heavy   R10-66-67	5-<10%
CAS: 85535-85-9 EINECS: 287-477-0	Alkanes, C14-C17, chloro  R64-66	5-<10%
CAS: 108-94-1 EINECS: 203-631-1	Cyclohexanone  R10	1-<5%
CAS: 67-56-1 EINECS: 200-659-6	Methanol  	<1%

- **Additional information:** For the wording of the listed risk phrases refer to section 16.

### 4 First aid measures

- **Description of first aid measures**
- **After skin contact:** If skin irritation continues, consult a doctor.
- **After eye contact:**
  - Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
  - **Most important symptoms and effects, both acute and delayed** No further relevant information available.
  - **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### 5 Firefighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** CO<sub>2</sub>, sand, extinguishing powder. Do not use water.
- **For safety reasons unsuitable extinguishing agents:**
  - Water
  - Water with full jet
- **Special hazards arising from the substance or mixture** No further relevant information available.

(Contd. on page 3)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 09.05.2011

Version number 4

Revision: 09.05.2011

**Trade name: Foster 60-78**

(Contd. of page 2)

- **Advice for firefighters**
- **Protective equipment:** No special measures required.

## 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:**  
Inform respective authorities in case of seepage into water course or sewage system.  
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Ensure adequate ventilation.  
Do not flush with water or aqueous cleansing agents
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.
- **Information about fire - and explosion protection:**  
Keep ignition sources away - Do not smoke.  
Protect against electrostatic charges.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep container tightly sealed.
- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **Control parameters**

- **Ingredients with limit values that require monitoring at the workplace:**

**1332-58-7 Aluminiumsilikathydrat (Kaolinit) (10-<25%)**

WEL ()	Long-term value: 2 mg/m <sup>3</sup>
--------	--------------------------------------

**108-94-1 Cyclohexanone (1-<5%)**

WEL ()	Short-term value: 20 ppm
	Long-term value: 10 ppm
	Sk

**67-56-1 Methanol (<1%)**

WEL ()	Short-term value: 333 mg/m <sup>3</sup> , 250 ppm
	Long-term value: 266 mg/m <sup>3</sup> , 200 ppm
	Sk

- **Additional information:** The lists valid during the making were used as basis.

(Contd. on page 4)

GB

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 09.05.2011

Version number 4

Revision: 09.05.2011

**Trade name: Foster 60-78**

(Contd. of page 3)

- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.  
Do not inhale gases / fumes / aerosols.
- **Respiratory protection:**  
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
- **Protection of hands:**



Protective gloves

- **Material of gloves**  
Fluorocarbon rubber (Viton)  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**  
> 480 min.  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:**



Tightly sealed goggles

- **Body protection:** Use protective suit.

## 9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

<b>Form:</b>	Viscous
<b>Colour:</b>	Blue
- **Odour:** Characteristic
- **Odour threshold:** Not determined.
- **pH-value:** Not determined.
- **Change in condition**

<b>Melting point/Melting range:</b>	Undetermined.
<b>Boiling point/Boiling range:</b>	142°C
- **Flash point:** 39°C (DIN 53213)
- **Flammability (solid, gaseous):** Not applicable.
- **Ignition temperature:** 200°C
- **Decomposition temperature:** Not determined.
- **Self-igniting:** Product is not selfigniting.

(Contd. on page 5)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 09.05.2011

Version number 4

Revision: 09.05.2011

Trade name: Foster 60-78

(Contd. of page 4)

· <b>Danger of explosion:</b>	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
· <b>Explosion limits:</b>	
<b>Lower:</b>	0.8 Vol %
<b>Upper:</b>	7.0 Vol %
· <b>Vapour pressure At 20°C:</b>	2 hPa
· <b>Density At 20°C:</b>	1.22 g/cm <sup>3</sup> (DIN 51757)
· <b>Relative density</b>	Not determined.
· <b>Vapour density</b>	Not determined.
· <b>Evaporation rate</b>	Not determined.
· <b>Solubility in / Miscibility with water:</b>	Not miscible or difficult to mix.
· <b>Segregation coefficient (n-octanol/water):</b>	Not determined.
· <b>Viscosity:</b>	
<b>Dynamic At 20°C:</b>	75000 mPas
<b>Kinematic:</b>	Not determined.
· <b>Solvent content:</b>	
<b>Organic solvents:</b>	37.0 %
<b>Solids content:</b>	63.0 % (DIN 53216)
· <b>Other information</b>	No further relevant information available.
· <b>VOC (EU):</b>	36.96 %
· <b>VOC (EU):</b>	450.9 g/l
· <b>VOCV:</b>	36.96 %

## 10 Stability and reactivity

- **Reactivity**
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· **LD/LC50 values relevant for classification:**

**64742-95-6 Solvent naphtha (petroleum), light arom.**

Oral	LD50	>6800 mg/kg (RAT)
------	------	-------------------

Dermal	LD50	>3400 mg/kg (RAT)
--------	------	-------------------

Inhalative	LC50/4 h	>10.2 mg/l (RAT)
------------	----------	------------------

**64742-82-1 Naphtha (petroleum), hydrodesulfurized heavy**

Oral	LD50	>5000 mg/kg (RAT)
------	------	-------------------

Dermal	LD50	>3000 mg/kg (RABBIT)
--------	------	----------------------

Inhalative	LC50/4 h	>2.8 mg/l (RAT)
------------	----------	-----------------

- **Primary irritant effect:**
- **on the skin:** No irritant effect.

(Contd. on page 6)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 09.05.2011

Version number 4

Revision: 09.05.2011

**Trade name: Foster 60-78**

(Contd. of page 5)

- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**  
The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:  
Irritant

## 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** Toxic for fish
- **Additional ecological information:**
- **General notes:**  
Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water  
Do not allow product to reach ground water, water course or sewage system.  
Danger to drinking water if even small quantities leak into the ground.  
Also poisonous for fish and plankton in water bodies.  
Toxic for aquatic organisms
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

## 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**  
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

## 14 Transport information

- **Land transport ADR/RID (cross-border)**



- **ADR/RID class:** 3 Flammable liquids.
- **Danger code (Kemler):** 30
- **UN-Number:** 1139
- **Packaging group:** III
- **Hazard label** 3
- **Special marking:** Symbol (fish and tree)
- **UN proper shipping name:** 1139 COATING SOLUTION, special provision 640E, ENVIRONMENTALLY HAZARDOUS
- **Limited quantities (LQ)** 5L
- **Transport category** 3

(Contd. on page 7)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 09.05.2011

Version number 4

Revision: 09.05.2011

**Trade name: Foster 60-78**

(Contd. of page 6)

· **Tunnel restriction code** D/E· **Maritime transport IMDG:**

· **IMDG Class:** 3  
 · **UN Number:** 1139  
 · **Label** 3  
 · **Packaging group:** III  
 · **EMS Number:** F-E,S-E  
 · **Marine pollutant:** Yes  
 Symbol (fish and tree)  
 · **Proper shipping name:** COATING SOLUTION

· **Air transport ICAO-TI and IATA-DGR:**

· **ICAO/IATA Class:** 3  
 · **UN/ID Number:** 1139  
 · **Label** 3  
 · **Packaging group:** III  
 · **Proper shipping name:** COATING SOLUTION

· **Environmental hazards:** Product contains environmentally hazardous substances: Alkanes, C14-C17, chloro  
 · **Special precautions for user** Warning: Flammable liquids.

· **Transport/Additional information:**

For ADR and IMDG: Transport and packing are in accordance with the regulation for limited quantities. These products are therefore classified as no dangerous goods.

· **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.

## 15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**· **Labelling according to EU guidelines:**

The product has been marked in accordance with EU Directives / respective national laws.

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

The R and S phrases may be omitted if packaging contains no more than 0.125 litre.

· **Code letter and hazard designation of product:**

Xi Irritant

N Dangerous for the environment

· **Risk phrases:**

10 Flammable.

37 Irritating to respiratory system.

51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

64 May cause harm to breastfed babies.

66 Repeated exposure may cause skin dryness or cracking.

67 Vapours may cause drowsiness and dizziness.

· **Safety phrases:**

23 Do not breathe fumes/aerosol.

24 Avoid contact with skin.

(Contd. on page 8)

GB

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 09.05.2011

Version number 4

Revision: 09.05.2011

**Trade name: Foster 60-78**

(Contd. of page 7)

43 In case of fire, use sand, carbon dioxide or powdered extinguishing agent. Never use water.

51 Use only in well-ventilated areas.

57 Use appropriate container to avoid environmental contamination.

60 This material and its container must be disposed of as hazardous waste.

· **National regulations:**

· **Technical instructions (air):**

Class	Share in %
I	0.6
III	0.5
NK	36.4

· **Waterhazard class:** Water hazard class 2 (Self-assessment): hazardous for water.

· **Other regulations, limitations and prohibitive regulations**

· **Please note:** 3-3

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

R10 Flammable.

R11 Highly flammable.

R20 Harmful by inhalation.

R23/24/25 Toxic by inhalation, in contact with skin and if swallowed.

R37 Irritating to respiratory system.

R39/23/24/25 Toxic: danger of very serious irreversible effects through inhalation, in contact with skin and if swallowed.

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R64 May cause harm to breastfed babies.

R65 Harmful: may cause lung damage if swallowed.

R66 Repeated exposure may cause skin dryness or cracking.

R67 Vapours may cause drowsiness and dizziness.

· **Department issuing MSDS:** Product safety department.

· **Contact:** temati@temati.com

· **\* Data compared to the previous version altered.**