



REVISION DATE: 12/03/2008

Page 1/4

SAFETY DATA SHEET

REPAIRITE FLEXRITE

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME REPAIRITE FLEXRITE

Temati B.V.
Rijnland 2
1948 RL Beverwijk
The Netherlands
+31 (0) 251 229 172
+31 (0) 251 212 380

2 HAZARDS IDENTIFICATION

Not regarded as a health or environmental hazard under current legislation.

HUMAN HEALTH

May be slightly irritating to skin and eyes.

3 COMPOSITION/INFORMATION ON INGREDIENTS

Name	EC No.	CAS-No.	Content	Classification
ETHYLTRIAACETOXSILANE		17689-77-9	1-5%	Xi;R36/37/38.
METHYLTRIAACETOXSILANE		4253-34-3	1-5%	Xi;R36/37/38.

4 FIRST-AID MEASURES

GENERAL INFORMATION

Avoid contact with skin and eyes. In case of accident or if you feel unwell, seek medical advice immediately (show label where possible).

INHALATION

Move the exposed person to fresh air at once. Contact physician if discomfort continues.

INGESTION

Get medical attention immediately!

SKIN CONTACT

Promptly wash contaminated skin with soap or mild detergent and water. Promptly remove clothing if soaked through and wash as above. Contact physician if irritation continues.

EYE CONTACT

Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes and get medical attention. Contact physician if irritation persists.

5 FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA

Fire can be extinguished using: Carbon dioxide (CO₂). Foam. Dry chemicals. Water spray.

SPECIFIC HAZARDS

Flammable/combustible material. Cool containers exposed to flames with water until well after the fire is out.

PROTECTIVE MEASURES IN FIRE

Self contained breathing apparatus and full protective clothing must be worn in case of fire.



6 ACCIDENTAL RELEASE MEASURES

Page 2/4

PERSONAL PRECAUTIONS

Provide adequate ventilation. Do not smoke, use naked flames or other sources of ignition. Wear protective clothing as described in Section 8 of this safety data sheet. Avoid contact with skin and eyes. Do not breathe vapour.

ENVIRONMENTAL PRECAUTIONS

Do not discharge into drains, water courses or onto the ground. Spillages or uncontrolled discharges into watercourses must be IMMEDIATELY alerted to the Environmental Agency or other appropriate regulatory body.

SPILL CLEAN UP METHODS

Absorb spillage with non-combustible, absorbent material. Transfer to a container for disposal.

7 HANDLING AND STORAGE

USAGE PRECAUTIONS

Use only in well-ventilated areas. Keep away from heat, sparks and open flame. Handle and open container with care. Avoid contact with skin and eyes. Good personal hygiene is necessary. Wash hands and contaminated areas with water and soap before leaving the work site. Do not eat, drink or smoke when using the product.

STORAGE PRECAUTIONS

Store in tightly closed original container in a dry, cool and well-ventilated place.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

PROTECTIVE EQUIPMENT



PROCESS CONDITIONS

Provide eyewash, quick drench.

ENGINEERING MEASURES

Provide adequate general and local exhaust ventilation.

RESPIRATORY EQUIPMENT

If ventilation is insufficient, suitable respiratory protection must be provided.

HAND PROTECTION

Use suitable protective gloves if risk of skin contact. Rubber (natural, latex).

EYE PROTECTION

Wear approved safety goggles.

HYGIENE MEASURES

Keep away from food, drink and animal feeding stuffs. Wash promptly with soap & water if skin becomes contaminated. When using do not eat, drink or smoke. Wash at the end of each work shift and before eating, smoking and using the toilet.

SKIN PROTECTION

Wear apron or protective clothing in case of contact.



9 PHYSICAL AND CHEMICAL PROPERTIES

Page 3/4

APPEARANCE	Paste		
ODOUR	Acetic acid		
SOLUBILITY	Insoluble in water Soluble in Acetone Alcohol		
BOILING POINT (°C)	n/a	RELATIVE DENSITY	1.04 25
FLASH POINT (°C)	>150 CC (Closed cup).		

10 STABILITY AND REACTIVITY

STABILITY

Stable under normal temperature conditions and recommended use.

CONDITIONS TO AVOID

Water, moisture.

MATERIALS TO AVOID

Avoid contact with oxidising agents. Water, moisture.

HAZARDOUS DECOMPOSITION PRODUCTS

Acetic acid. Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

11 TOXICOLOGICAL INFORMATION

INHALATION

In high concentrations, vapours may irritate throat and respiratory system and cause coughing.

SKIN CONTACT

Slightly irritating.

12 ECOLOGICAL INFORMATION

ECOTOXICITY

Avoid release to the environment.

MOBILITY

Do not discharge into drains, water courses or onto the ground.

BIOACCUMULATION

Will not bio-accumulate.

DEGRADABILITY

The product is not biodegradable.

13 DISPOSAL CONSIDERATIONS

DISPOSAL METHODS

Dispose of waste and residues in accordance with local authority requirements.

WASTE CLASS

08 04 99



14 TRANSPORT INFORMATION

Page 4/4

GENERAL The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).

No transport warning sign required.

ADR LABEL NO. 0

15 REGULATORY INFORMATION

RISK PHRASES

NC Not classified.

SAFETY PHRASES

S2 Keep out of the reach of children

S24 Avoid contact with skin.

S51 Use only in well-ventilated areas.

16 OTHER INFORMATION

REVISION DATE 12/03/2008

REV. NO./REPL. SDS GENERATED 2

RISK PHRASES IN FULL

R36/37/38 Irritating to eyes, respiratory system and skin.

DISCLAIMER

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.